


RM890monoquille	4	6	8	10	12	14	16	20	25
36	2.6	3.8	4.9	5.6	6.0	6.2	6.3	6.4	6.5
40	2.9	4.2	5.3	6.0	6.3	6.5	6.6	6.7	6.8
45	3.2	4.6	5.7	6.3	6.6	6.7	6.8	6.9	7.0
52	3.5	5.0	6.1	6.6	6.8	7.0	7.1	7.2	7.3
60	3.8	5.3	6.3	6.8	7.1	7.2	7.3	7.5	7.7
70	4.0	5.7	6.5	7.0	7.3	7.5	7.6	7.9	8.1
80	4.5	6.1	6.7	7.0	7.4	7.7	7.9	8.2	8.4
90	4.7	6.3	6.9	7.2	7.4	7.7	8.1	8.5	8.9
100	4.8	6.3	7.0	7.3	7.6	7.8	8.0	8.7	9.4
110	4.6	6.2	7.0	7.5	7.8	8.0	8.2	8.7	9.9
120	4.3	5.9	6.8	7.4	7.9	8.2	8.5	9.0	9.8
135	3.7	5.2	6.3	6.9	7.5	8.0	8.5	9.6	10.7
150	2.9	4.3	5.5	6.4	6.9	7.4	7.9	9.1	11.3
160	2.5	3.7	4.8	5.9	6.6	7.1	7.5	8.5	10.5
170	2.2	3.4	4.5	5.5	6.3	6.8	7.3	8.2	9.9
180	2.1	3.2	4.3	5.2	6.1	6.7	7.1	8.0	9.5
Up.Vs	3.2	4.5	5.5	6.0	6.1	6.2	6.3	6.4	6.5
Up.Bt	45.6	43.5	42.2	39.5	37.4	36.1	35.5	35.6	36.3
Up.Vmg	2.2	3.3	4.1	4.6	4.9	5.0	5.1	5.2	5.2
Dn.Vs	3.5	4.7	5.7	6.2	6.4	6.8	7.2	8.2	10.7
Dn.Bt	137.8	142.2	146.9	153.4	165.9	171.2	172.3	170.4	157.5
Dn.Vmg	2.6	3.7	4.8	5.5	6.2	6.7	7.2	8.1	9.9

RM890biquille	4	6	8	10	12	14	16	20	25
36.0	2.5	3.7	4.7	5.4	5.8	6.0	6.1	6.2	6.2
40.0	2.8	4.1	5.1	5.8	6.1	6.3	6.4	6.6	6.6
45.0	3.1	4.5	5.6	6.2	6.5	6.6	6.7	6.8	6.9
52.0	3.5	4.9	6.0	6.5	6.8	6.9	7.0	7.1	7.2
60.0	3.8	5.3	6.3	6.8	7.0	7.1	7.3	7.4	7.6
70.0	4.0	5.6	6.4	6.9	7.2	7.4	7.5	7.8	8.0
80.0	4.4	6.1	6.6	7.0	7.4	7.6	7.8	8.1	8.3
90.0	4.7	6.3	6.8	7.1	7.4	7.7	8.0	8.4	8.8
100.0	4.7	6.3	7.0	7.3	7.5	7.8	8.0	8.7	9.2
110.0	4.6	6.2	7.0	7.4	7.7	8.0	8.2	8.6	9.7
120.0	4.3	5.9	6.8	7.3	7.8	8.1	8.4	8.9	9.6
135.0	3.6	5.2	6.3	6.9	7.5	8.0	8.5	9.4	10.4
150.0	2.8	4.3	5.5	6.4	6.9	7.4	7.9	9.0	11.2
160.0	2.4	3.7	4.8	5.8	6.5	7.1	7.5	8.5	10.5
170.0	2.2	3.4	4.4	5.4	6.3	6.8	7.3	8.2	9.9
180.0	2.1	3.2	4.2	5.2	6.1	6.7	7.1	8.0	9.4
Up.Vs	3.1	4.4	5.4	-	6.1	6.2	6.2	6.3	6.4
Up.Bt	46.1	44.2	42.8	40.0	38.9	37.7	37.3	37.3	38.0
Up.Vmg	2.2	3.2	4.0	4.4	4.7	4.9	5.0	5.1	5.1
Dn.Vs	3.5	4.7	5.7	6.2	6.4	6.8	7.2	8.2	10.5
Dn.Bt	137.8	142.3	147.0	153.4	166.0	171.3	172.4	170.5	159.3
Dn.Vmg	2.6	3.7	4.8	5.5	6.2	6.7	7.2	8.1	9.8



Conditions de test
Mer plate
Déplacement de 3700 kg monoquille,
3750 kg biquille.
Hélice bec de canard .
Spi asymétrique de 80 m2.

